

Okavango Delta

2020 Conservation Outlook Assessment

SITE INFORMATION

Country: Botswana
Inscribed in: 2014
Criteria: (vii) (ix) (x)



This delta in north-west Botswana comprises permanent marshlands and seasonally flooded plains. It is one of the very few major interior delta systems that do not flow into a sea or ocean, with a wetland system that is almost intact. One of the unique characteristics of the site is that the annual flooding from the River Okavango occurs during the dry season, with the result that the native plants and animals have synchronized their biological cycles with these seasonal rains and floods. It is an exceptional example of the interaction between climatic, hydrological and biological processes. The Okavango Delta is home to some of the world's most endangered species of large mammal, such as the cheetah, white rhinoceros, black rhinoceros, African wild dog and lion. © UNESCO

SUMMARY

2020 Conservation Outlook

Finalised on 01 Dec 2020

GOOD WITH SOME CONCERNS

The nature of the Okavango Delta – a vast inaccessible wetland on the fringes of a sparsely populated desert – gives it a high degree of natural protection. The values of the site remain in good condition overall, largely due to the site's large size and inaccessibility, allowing the site to maintain its largely unaltered, pristine condition through low human impact. Threats to the site are generally of low concern but for a few issues which remain challenging to address. Whilst tourism has some negative impacts, there are very few roads and the industry is built around a high-cost low-volume business model with small lodge facilities accessed by private charter aircraft. The most significant long-term threat arises from the possibility of future use (or impoundment) of the waters of the Okavango River which flow from catchment areas in the Angolan highlands through Namibia before crossing into Botswana and reaching the head of the delta, as well as impacts of extractive industry and effects of climate change on the hydrological regime which underpins the site's values. Any developments would be subject to the approval of the Permanent Okavango River Basin Water Commission (OKACOM), which should ensure recognition and respect for the site's Outstanding Universal Value and encouraging progress has been made to this end in recent years. The most significant existing management challenges arise from an observed decline in populations of some large mammals, including poaching, the worrying mass mortality of elephants across northern Botswana, as well as a continued need to control alien and invasive plants, the need to maintain and reestablish animal migratory routes through the rationalisation of veterinary cordon fences and to ensure proper management of local

community access rights and benefit sharing. The review of the current Okavango Delta Management Plan, which was drafted prior to World Heritage inscription of the site, should seek to address these issues in specific relation to the values for which the site is listed under the Convention within the current and projected capacity of the management authority.

FULL ASSESSMENT

Description of values

Values

World Heritage values

- ▶ **Africa's most extensive inland delta without an outlet to the sea, lying within a desert environment** Criterion:(vii)

The Okavango Delta is a huge inland delta, where the waters of the Okavango river disappear into the sands of the Kalahari desert without reaching the sea. It is the juxtaposition of this vibrant wetland with its arid desert surroundings which led to it becoming known as the 'Jewel of the Kalahari' (Ross, 2003).

- ▶ **Annual cycle of flooding** Criterion:(vii)

The annual flood-tide, which pulses through the wetland system every year revitalizes ecosystems and serves as a critical life-force during the peak of the area's dry season (during June/July). As the flood-waters extend into lands around the wetland's margins the pulse of new growth across the seasonal grasslands draws in herds of large herbivores, driving their migration patterns across a much wider landscape. In an extraordinary way plants and animals have adapted their life-cycles, growth and reproductive behaviour to the arrival of the flood-waters (as well as the arrival of seasonal rains, which allows dispersal to other areas as the waters of the delta recede later in the year) (SoOUV, 2014).

- ▶ **An outstanding example of the complexity, inter-dependence and interplay of climatic, geo-morphological, hydrological, and biological processes** Criterion:(ix)

The Okavango Delta World Heritage property is an outstanding example of the complexity, inter-dependence and interplay of climatic, geo-morphological, hydrological, and biological processes. The continuous transformation of geomorphic features such as islands, channels, river banks, flood plains, oxbow lakes and lagoons in turn influences the abiotic and biotic dynamics of the Delta including dryland grasslands and woodland habitats. The site exemplifies a number of ecological processes related to flood inundation, channelization, nutrient cycling and the associated biological processes of breeding, growth, migration, colonization and plant succession. These ecological processes provide a scientific benchmark to compare similar and human-impacted systems elsewhere and give insight into the long-term evolution of such wetland systems (SoOUV, 2014). The delta extends over an area half the size of Belgium, with 6,000km² of permanent swamps and 7-12,000 km² of seasonally flooded grassland. Remarkably, it remains in a largely pristine condition, unaffected by any major developments either within the delta itself, or anywhere along the course of its inflowing rivers and their tributaries.

- ▶ **Rich diversity of species across many taxa, with significant populations of African mega-fauna** Criterion:(x)

The delta supports a high diversity of natural habitats including permanent and seasonal rivers and lagoons, permanent swamps with reeds and papyrus, seasonal and occasionally-flooded grasslands, riparian forest and woodlands, dry woodlands and island communities (GoB, 2012). Each of these habitats has a distinct species composition with strong representation of aquatic organisms across most taxa. A total of 1061 species of plants (belonging to 134 families and 530 genera), 89 fish, 64 reptiles, 482 species of birds and 130 species of mammals has been recorded (SoOUV, 2014).

- ▶ **Habitat for important populations of rare and endangered species** Criterion:(x)

The delta provides a refuge to globally significant numbers of rare and endangered large mammals,

including white and black rhinoceros, wild dogs, lions and cheetahs. It is also recognized as an Important Bird Area (BirdLife, 2017), harbouring 24 species of globally threatened birds, including among others, six species of vulture, Southern Ground-Hornbill, Wattled Crane and Slaty Egret. Thirty-three species of water birds occur in the Okavango Delta in numbers that exceed 0.5% of their global or regional population (SoOUV, 2014). The Okavango supports significant populations of wetland-adapted mammals such as the sitatunga, red lechwe and southern reedbeek, Finally Botswana supports the world's largest population of elephants, numbering around 130,000: the Okavango Delta is the core area for this species' survival (SoOUV, 2014).

► **Landscape of exceptional and rare beauty**

Criterion:(vii)

Permanent crystal clear waters and dissolved nutrients transform the otherwise dry Kalahari Desert habitat into a scenic landscape of exceptional and rare beauty, and sustain an ecosystem of remarkable habitat and species diversity, thereby maintaining its ecological resilience and amazing natural phenomena (SoOUV, 2014). The natural beauty of the emerald-green 'Jewel of the Kalahari' in its red-sand desert setting is legendary. Its crystal clear waters meandering through the ever-changing channels of the delta, its islands and waterways teeming with wildlife create an unparalleled range of vistas of exceptional beauty. Furthermore, the size and difficulty of accessing the area (except by light aircraft) ensure that it maintains exceptional wilderness qualities with very little development or management infrastructure.

Assessment information

Threats

Current Threats

Low Threat

Current threats to the site are relatively minor and the delta remains in a remarkably pristine condition. However, threats to large megafauna, particularly elephants (*Loxodonta africana*), have increased significantly in recent years. An attempt was made to address concerns regarding the significant population declines of some large mammal species by introducing a ban on all hunting in 2014, however this ban has now been lifted, and there has been a mass mortality event which has yet to be fully explained. This is compounded by the disruption of natural movement routes by the veterinary cordon fences, which have been considered to have a major impact on natural processes, although the fencing is also considered to have contained disease transmission from domesticated livestock. The on-going evaluation of the effectiveness of these fences and the rationalisation where necessary may result in an improved natural movement system and other associated ecological benefits. However this has yet to be achieved, despite repeated requests from the World Heritage Committee, due to a lack of finance. Widespread and uncontrollable fires in the Delta are a recurring threat, although management steps have been taken to control these. Minor threats continue to present themselves from tourism-related disturbances, use of the area's natural resources by local communities, hydrocarbon and wastewater discharge pollution, as well as the spread of an invasive aquatic flora, which have been added to by novel threats such as illegal sand mining which law enforcers have found challenging to control. The non-conformities identified around the construction of the Mohebo bridge reinforces the necessity to revisit the environmental concerns surrounding its construction in order that the project does not threaten any of the values of the site.

► **Fire/ Fire Suppression**

Low Threat

(Uncontrolled fire)

Inside site, extent of threat not known
Outside site

Fires are frequently and deliberately started by people throughout the delta to (1) stimulate new growth for livestock grazing (2) improve stands of reeds and thatching grass, (3) attract wildlife to areas of new growth for tourist viewing, (4) clear access routes through the wetlands to fishing sites, and (5) clear agricultural land around the margins of the delta. However, the impacts of fire are generally low, especially given the improving fire management evidenced by programmes such as the The Tsodilo Enclave Bush Fire Risk Management Strategy, which has seen a reduction of the impact of annual fire

outbreaks in the area (IUCN Consultation, 2020).

► **Tourism/ visitors/ recreation**

Very Low Threat

(Disturbance from tourism)

Inside site, scattered(5-15%)

Tourism in the delta is necessarily a low-impact low-volume business, since there are no permanent roads into most of the area and everything has to be flown into small-scale tented camps and similar establishments within the delta. There are currently sound policies and procedures to regulate tourism in place. Nevertheless, there are some localized problems related to tourism including the creation of illegal roads (particularly in Moremi Game Reserve), pollution and waste disposal, forest fires and disturbance of plant and animals (especially nesting birds). Most noticeably, noise pollution from low-flying aircraft and boats can be a nuisance, affecting the 'wilderness experience' of visitors and potentially the wildlife. Another concern is the wastewater flow into the system. Recent monitoring results suggest that currently none of the wastewater discharge facilities inspected during the 2019/2020 out of the ten inspected met requirements of the Botswana standards for discharging into the environment. In the previous year (2018/2019) only five of the total fourteen facilities inspected were in compliance (State Party of Botswana, 2020). A recent study indicated that more than half of the staff of tourism accommodation facilities perceive negative impacts on the environment from growing tourism development (Musora & Mbaiwa, 2018). Nonetheless, the size of the site, combined with the low volume tourism model adopted by operators make tourism of very low threat overall. Notwithstanding these issues, the low-volume tourism business model adopted in the site mean that this threat is very low overall.

► **Hunting and trapping**

Data Deficient

(Poaching)

Inside site, throughout(>50%)

Outside site

The level of poaching affecting the delta's wildlife is unknown. However a recent aerial survey of large animals in the northern Botswana, including the Delta, reported a 593% increase in detection of fresh elephant carcasses between 2014 and 2018, which compounds significant declines in key large mammal species across the country reported in 2012 by the Department of Wildlife and National Parks. An earlier NGO aerial survey (carried out in 2010) had suggested that populations of 11 animal species had plummeted by an average of 61 per cent (Gifford, 2013), with ostrich, wildebeest, kudu and giraffe particularly badly affected. Whilst the reason for the decline is not fully understood, some attribute it to over-hunting in parts of the property designated as Wildlife Management Areas where commercial hunting was allowed. To curb this decline in game species population numbers, a hunting ban was implemented in 2014. Although quantitative data on the the impacts of the hunting ban on the game populations have not been published, there have been some reports in the media that the State Party has recent wildlife population statistics indicated a generalised increase in the number of animals. The lifting of the ban will likely impact this trend, however it is yet to be seen exactly how.

► **Other Ecosystem Modifications**

Low Threat

(Veterinary control measures including veterinary control fences)

Inside site, widespread(15-50%)

Outside site

Botswana's livestock industry has for decades depended on the prevention of disease transmission between wildlife and domestic stock through (1) the use of high multi-strand veterinary cordon fences to stop the movement of large wild mammals into designated livestock grazing areas, and (2) the eradication of tse-tse flies through chemical spraying. Most of the delta is designated a 'livestock free zone', with the southern boundary of the core area defined by the line of a veterinary fence. This stops livestock coming into contact with wildlife, but it also blocks the traditional migration and dispersal of wildlife to the south. Other veterinary fences lie to the east and north of the world heritage site, but these have been abandoned (or removed) so migration routes towards the Makgadikgadi Pans (to the East), Chobe National Park, and other areas have been re-established. There are continuing efforts to rationalize the veterinary cordon fencing through the Department of Veterinary Services continued monitoring of the effectiveness of the fences. The Botswana Government Policy on veterinary fences stipulates that a periodic Environmental Impact Assessment (EIA) be conducted every five years on the veterinary cordon fencing to determine the effectiveness of such fencing, however these have not been carried out due to a lack of funding (State Party of Botswana, 2018). It has been suggested, that

although veterinary fences have blocked wildlife migratory routes, the Southern and Northern Buffalo Fences have played a significant role in protecting the core parts of the delta from encroachment by livestock (GoB 2015). Nonetheless, the State Party has been requested to continue efforts to rationalize veterinary cordon fencing, removing them when possible, given the lack of reporting on this issue and the major impediment to wildlife migrations represented by these fences at the time of inscription (UNESCO, 2018; World Heritage Committee, 2018). In April 2019 the Botswana Cordon Fences Committee was re-instated after 20 years, and should be a good forum to improve the gaps - identified as: Fences blocking migration routes of wildlife; No fences have been decommissioned in the north but many in the south; Disease status in adjacent countries are not congruent; No clear guidance on fence realignment or decommissioning (AHEAD 2019)

► **Livestock Farming / Grazing**

Low Threat

(Resource use by local communities, including livestock grazing)

Inside site, localised(<5%)
Outside site

Local people have rights to use certain natural resources within the delta, including fish, reeds and thatching grass, medicinal plants and poles for house-building, as well as being allowed to keep cattle and other domestic stock in the area (Botswana 2014). The ecological impact of this is limited. The local communities include descendants of the original San hunter-gatherer inhabitants of the area, as well as more recent immigrants from other ethnic groups. As there are only three settlements (with a total population of 530 individuals) in the interior of the delta, resource use tends to be restricted to peripheral areas close to villages outside the core zone of the world heritage site.

► **Invasive Non-Native/ Alien Species**

Low Threat

(Invasive alien species)

Inside site, scattered(5-15%)
Outside site

The floating water fern, *Salvinia molesta* (native to South America) became established in the Okavango in the 1980s and has become widespread. It chokes water channels and prevents light and oxygen penetration into sub-surface waters, impacting the aquatic ecology. A reasonable degree of success in controlling this invasive weed has been achieved through the propagation of a weevil (*Cyrtobagous salviniae*) as a bio-control agent, but *Salvinia* infestation remains a significant problem (GoB, 2012), with new *salvinia* infestation of significant nature observed along Xudum River at Nxaraga area in May 2017 (State Party of Botswana, 2020). The Aquatic Vegetation Control Unit (AVCU) continues to apply and monitor the *Salvinia* biological control agent *Cyrtobagous salviniae*. *Salvinia* biological control has been thoroughly established in 64 sites within the core zone. Tour guides in the core area have also been trained to monitor and control *Salvinia* and weevils breeding pools have been set up to provide an on-going supply of the biological control agent (Kurugundla 2015).

► **Mining/ Quarrying**

Low Threat

(Illegal sand mining)

Inside site, extent of threat not known
Outside site

There has been increase of illegal sand mining of sand and stone aggregate of various types to meet the growing demand for infrastructural developments in the District. This is more prevalent around major villages such as Maun, Shakawe, Gumare, Nokaneng, etc. Of particular concern is illegal sand extraction from the Okavango River channels during the dry season. Department of Environmental Affairs with the help of other law enforcement agencies are finding it hard to contain the perpetrators (IUCN Consultation, 2020).

► **Other**

Data Deficient

(Mass elephant mortality event)

Inside site, scattered(5-15%)
Outside site

By July 2020, nearly 400 elephants were reported to have died in Botswana's Okavango Delta, representing one of the largest elephant mortality events ever recorded (Mongabay, 2020). The cause of this event is currently unknown, however has been linked to some form of neurotoxin of unknown origin with some elephants found collapsed on their chests, suggesting rapid and sudden death and symptoms including running around in circles and paralysis in their rear quarters (Mongabay, 2020). The

first of these unexplained elephant deaths was recorded in the Okavango in March and has increased in frequency since, particularly since May (Mongabay, 2020). No further deaths reported since then and so these appear to be a confined incident (IUCN Consultation, 2020).

► **Roads/ Railroads**

(Construction of the Mohembo bridge)

Data Deficient

Inside site, localised(<5%)
Outside site

The construction of a cable-stayed bridge across the panhandle area of the property and hardening of the associated approach road has begun at Mohembo based on a 2009 EIA, carried out prior to the inscription of the site (World Heritage Committee, 2018). Thus, the measures identified in the EIA are insufficient as they do not take into account the property's World Heritage status or the specific values for which the site is listed. The State Party in its 2020 report noted that the original 2009 EIA could not be revised as requested by the WH Committee, but an audit of the Environmental Management Plan for the Mohembo bridge project was undertaken. The audit observed numerous non-conformities and therefore poses a current threat to the site if not adequately revised.

Potential Threats

High Threat

The long-term integrity of the delta will depend to a large extent on wise use of water in the catchment areas of Angola and Namibia. There are a wide range of potentially devastating threats that could arise through development schemes such as dam construction, water abstraction, irrigated agricultural development and mining in the areas upstream. The Permanent Okavango River Basin Water Commission (OKACOM) will serve a mediating role in negotiations over any such developments and should serve to achieve appropriate outcomes that can preserve the integrity of the delta. The formation of a steering committee on the transnational extension of the WH site, comprising representatives of Angola, Botswana and Namibia, is a positive step towards achieving the effective transboundary cooperation that these potential threats require in order to mitigate them.

► **Dams/ Water Management or Use**

(Upstream water extraction /impoundment)

High Threat

Outside site

The most significant long-term threat to the integrity and ecological function of the delta remains beyond Botswana's borders in the catchment areas of Angola and Namibia, where upstream use of water or construction of dams could prove devastating. In the past Namibia indicated an intention to connect its Eastern National Water Carrier to the Kavango River to 'provide water to Windhoek and the surrounding areas', since put on hold (Botswana, 2012). Namibia has since informed the other Permanent Okavango River Water Commission (OKACOM) Member States Angola and Botswana, about a feasibility study to examine options for water augmentation either through inter-basin transfer from the Okavango, or via ground water exploration (Botswana, 2015). It has also emerged from OKACOM that NamPower has halted its Hydro Power Project for the Popa Falls on the Okavango River in Namibia. The IUCN nomination evaluation team was informed of Chinese interest in irrigated agriculture in the river basin in southern Angola, and of plans to expand a network of protected areas in the headwaters where human populations are low due to the prolonged Angolan war (IUCN, 2013). The only concept document in the possession of OKACOM, is the "Plano de Gestão Integrada dos Recursos Hídricos da bacia do Cubango" (Botswana, 2015), although the National Geographic Okavango Project is promoting the protected area initiative <https://www.nationalgeographic.org/projects/okavango/>. In recent years cooperation has increase between the States Parties of Botswana, Angola and Namibia on the management of natural resources, which directly feed into the long-term protection of the property's OUV (State Party of Botswana, 2020). This was formalised at a meeting in June 2019 in Maun, Botswana, hosted by the Botswana Government and UNESCO World Heritage Unit, on Transboundary cooperation for protecting the Cubango-Okavango River Basin and improving the integrity of the Okavango Delta World Heritage property. In June 2019 all 3 State parties of Angola, Namibia and Botswana agreed to cooperate and to move forwards through the Transboundary World Heritage Steering Committee formed at this pivotal meeting (UNESCO 2019).

► **Temperature extremes**

(Climate change)

High Threat

Inside site, extent of threat not known
Outside site

The potential effects of climate change on the delta are high, given the potential for altered climatic parameters to shift the hydrological regimes which are so integral to the sites OUV. The effects of climate change on the delta have been a research focus of staff at the Okavango Research Institute and other researchers for several years. It seems likely that there will be some increase in evaporative losses of water in the delta due to increases in regional temperature. Indeed, recent research has indicated that climate change is reducing the volume of water reaching the delta by increasing evaporation from soils and rivers, and transpiration by vegetation (Konecky et al., 2016; Moses & Hambira, 2018), which has also reduced probability of high floods in the Okavango (Wolski et al., 2014). Other impacts of climate change are less certain. A drying of the catchment would result in the replacement of existing seasonally-flooded grassland with more wooded communities, but such outcomes are far from certain (Botswana, 2012). On a positive note it is likely that good rainfall will be maintained in the upper catchment in Angola (IUCN Consultation, 2020).

► **Water Pollution**

(Pollution and/or eutrophication of waters)

Low Threat

Inside site, scattered(5-15%)
Outside site

The quality of the inflowing waters is just as important to the ecological integrity of the delta so the possibility of diamond mining in the catchment areas of southern Angola with its associated threat of pollution has been identified as a potential future threat (IUCN, 2013). There is also the possibility of a major Chinese-backed irrigated agricultural scheme in southern Angola which would result in water use and also lead to eutrophication and/or pollution with artificial fertilizers and pesticides (IUCN, 2013). This has neither been confirmed by Angola nor brought to the attention of Member States concerned (SOC 2016). Base metal mining at sites on the Okavango River system in Namibia may pose a serious threat to sensitive riverine environment along the Okavango River and influence water quality. Sites are being explored for potential mining in the Kavango East area of Namibia (Enviro Dynamics 2014). Concerns were raised in October 2015 by the Botswana Department of Water Affairs regarding oil contamination in the Okavango Delta panhandle area. Analysis showed that hydrocarbon content in the water being above maximum allowable limit of 5 mg/L. Probable sources boats, ferries, house boats and boat harbours (Kurugundla 2015). More recent monitoring of water quality in the site showed multiple instances of non-compliance to national water quality standards with none out of ten facilities tested in 2019/2020 meeting required standards due to the quality of the effluent, poor infrastructure and the use of 'soak away' (State Party of Botswana, 2020).

► **Mining/ Quarrying**

(Mining)

High Threat

Outside site

There are no mining activities or concessions that currently overlap with the property or its buffer zone. At the time of inscription, the State Party committed not to renew the licences that overlapped with property, and has since cancelled all petroleum and metals prospecting licences in the buffer zone (State Party of Botswana, 2018; UNESCO, 2018). There is however, a possibility that mining could be undertaken in the areas adjacent to the buffer zone, or areas of the catchment in Angola and/or Namibia. Exploration activities adjacent to the buffer zone (for petroleum and metals) are being monitored by the State Party, but no indication has been given that such activities will explicitly assess potential impacts on the property's OUV in their EIAs if there is a potential to impact on the property.

Overall assessment of threats

Low Threat

The Okavango Delta is a remarkably pristine and expansive wetland system, unaltered by development activities or other man-made threats. The most significant current threat probably comes from poaching as there have been significant declines in populations of some large mammals over the past decade or so, with detection of poached elephants increasing almost sixfold in the

period between 2014 and 2018. Commercial hunting activities have now been resumed, with hunting licenses issued in early 2020. The degree to which this will deter poaching through increased regulation on hunting is hitherto unquantified. The ecological integrity of the delta has been significantly affected over several decades by veterinary cordon fences, which have blocked large mammal migration routes, despite their potential benefits in limiting disease transmission from domesticated livestock. The reconvening of the Botswana Cordon Fences Committee may address this issue. Several of these have now been removed (or allowed to collapse), so animals can disperse more widely and there is scope for further restoration of natural movement patterns. In the long-term the future of the Okavango will be determined to a large extent by Botswana's regional partners and decisions over possible future developments such as dam construction, water abstraction, mining, and irrigated agricultural developments in the catchment areas of Angola and Namibia. To this end, while encouraging progress has been made in issues of transboundary catchment management through the structures of OKACOM and the newly formed 3 State Party steering committee, further regulations are required to ensure that extractive industry and the construction of the Mohebo bridge is not allowed to impact the values of the site.

Protection and management

Assessing Protection and Management

► Management system

Mostly Effective

The management system is complex and involves a large number of local and national agencies. The Ministry of Environment, Natural Resources Conservation and Tourism (MENRCT) provides overall coordination at national level as most of the seven departments within the Ministry are involved in one way or another with site management. The MENRCT's Department of Wildlife and National Parks has direct management authority over about 23% of the area (Moremi Game Reserve) while the Department of Environmental Affairs is serving an important role in coordinating the various district and national agencies. The Tawana Land Board and Botswana Tourism Organisation are also key players in management. Whilst the existing system seems to be working remarkably well, consideration should be given to the possibility of establishing a single authority with overall responsibility for the World Heritage site to avoid problems which might otherwise arise from over-lapping mandates and poor coordination in the longer term.

Amongst the various land-use and development plans that cover the World Heritage site the 2008 Okavango Delta Management Plan is most relevant, and is used as the de facto management framework through which the OUV of the property is maintained. However, the focus of this plan is the RAMSAR-designated wetland of international importance, a much bigger area than that covered by the World Heritage site and pre-dates the sites inscription under the World Heritage Convention (State Party of Botswana, 2020). Therefore the need to develop a revised management plan for the site that incorporates the requirements of world heritage status and addresses the current reality in the site is well recognised (State Party of Botswana, 2020; IUCN Consultation, 2020). Such a plan is still yet to be formulated, due to delays in the tender process, however is at the scoping phase of development having drafted an inception report (State Party of Botswana, 2020).

► Effectiveness of management system

Some Concern

In general, Wildlife Management Areas that are leased to commercial tourism operators appear to benefit from the highest standards of management and protection, while there are significant shortcomings in the Game Reserve, Community Trust and Controlled Hunting Areas. This may be attributed to the disparity in financial and human resources available across differing governance and management regimes operating within different zones in the site. Whilst much of the area is inaccessible and requires little management intervention, there is a need for additional resources to improve the effectiveness of wildlife protection, tourism regulation, community-based resource management, visitor interpretation, ecological monitoring and alien plant control (IUCN, 2013; UNESCO,

2018; World Heritage Committee, 2018). There is also a need to involve community, NGO and private sector stakeholders in management decision making for the property through a multi-stakeholder Management Advisory Body (IUCN 2013; UNESCO, 2018; World Heritage Committee, 2018). The most recent State Party state of conservation report states that many of the previously identified issues relating to the effectiveness of the management system, including 'integration of wildlife monitoring protocols in the systematic wildlife monitoring programme, governance as well as access, cultural rights, and benefits will be addressed in detail in the revised management plan' (State Party of Botswana, 2020). However, given the significant and ongoing delays in delivering the tender for the management plan review, the effectiveness of the management plan remains of some concern.

► **Boundaries**

Mostly Effective

The boundaries of the core area of the property encompass most of the permanent swamps and seasonally flooded grasslands, and include a substantial additional area of adjacent deciduous woodlands. Five distinct management regimes apply to zones within the site. Moremi Game Reserve occupies about 23% of the core area and lies approximately in the centre of the property, surrounded by WMAs and CHAs. Thus the protected area design principles of having a totally protected core surrounded by zones designated for multiple uses are applicable in this case. The boundaries were modified after submission of the nomination dossier, and now cover a core area of 20,236 km² with a buffer zone of 22,866 km² (SoOUV, 2014). The main elements, species and processes characteristic of the delta could be sustained within this area.

It must be recognized that the property's Outstanding Universal Value will only be maintained if the inflowing river and its tributaries in Angola and Namibia are kept in a natural state without abstraction of water, building of dams and/or the development of agricultural irrigation schemes. Therefore, effective trans-boundary cooperation among Botswana, Angola and Namibia on management of the shared Cubango-Okavango River Basin is critical for the conservation of the Okavango Delta World Heritage property. To this end, the States Parties of Angola, Botswana and Namibia have engaged in discussions to assess the feasibility of potential trans-boundary extension of the Okavango Delta World Heritage property (IUCN Consultation, 2020). To date, an Action Plan to take forward this trans-boundary initiative has been adopted and approval of Terms of Reference for the engagement of a consultant to do a Feasibility study for the project has been approved by the newly established Steering Committee (IUCN Consultation, 2020).

Furthermore, it should be recognized that much of the mega-fauna migrates to areas beyond the boundaries of the property and is consequently vulnerable to hunting and/or any change of status in the buffer zone and beyond. The modified boundary provides for the inclusion of most of an important elephant migration corridor along the 'Selinda Spillway' to the north of the delta, and provides important connectivity with Chobe National Park along about 60km of common boundary. However, the "Caprivi Border Fence" between Botswana and Namibia, in the north and northwest of the property continues to be of concern.

► **Integration into regional and national planning systems**

Mostly Effective

Management of the property is well supported by regional and national planning systems, but has no unified management authority of its own. The nomination dossier (GoB, 2012) identifies no fewer than 37 pieces of legislation, policies, protocols and plans supporting conservation of the property, ranging from Botswana's Vision 2016 to district and area-based plans such as the Okavango Delta Management Plan (covering the RAMSAR-designated area). However, it is recognised that the ODMP needs to be reviewed to streamline it to other planning instruments. In particular, the current ODMP was not drafted in consonance with both the District Development Plan and the National Development Plan (NDP) (IUCN Consultation, 2020). The degree to which the outstanding universal value of the property, as inscribed on the World Heritage list, is addressed and managed under the existing management plan, which relates mostly to the much larger Ramsar site, is also an issue which would benefit from clarification in the management plan review. Encouraging progress has been made towards managing transboundary conservation issues which have potential impacts to the property's OUV, including exploring the possibility of a transboundary extension to the property through a feasibility study to be commissioned (albeit prior to the COVID-19 outbreak, which put such plans on hold) (IUCN Consultation, 2020) as well as under the structures of the Permanent Okavango River Basin Water Commission (OKACOM), through

which any proposed major developments within the Okavango watershed are subject to EIAs in conformity with IUCN's World Heritage Advice Note on Environmental Assessment in the three riparian states of Angola, Botswana and Namibia (State Party of Botswana, 2020; OKACOM, 2020), including the recent completion of the development of guidelines for 'Assistance to implement the SADC Protocol on shared watercourses by the Permanent Okavango River Basin Water Commission's Member States'. The Okavango property lies in the heart of the KAZA region (the Kavango Zambezi Transboundary Conservation Area) which is also an active and integrated regional planning authority that includes the State Parties of Botswana, Angola, Namibia, Zimbabwe and Zambia, and with the KAZA secretariat based in Kasane, Botswana.

► **Relationships with local people**

Mostly Effective

A management zoning regime is in place through which the interests of local communities are addressed. Three small settlements, with a total population of 530 individuals, are located within the core area of the property. People residing in these settlements, as well as those living around the periphery of the core area, have user access rights to fish, reeds, thatch, medicinal and building products. There are restrictions on the type of resource use that may be carried out in particular areas (see below), but in general areas designated as Wildlife Management Areas that are leased to Community Trusts are managed on a 'sustainable use' basis by the communities concerned and land-use may include livestock keeping (outside of the Okavango Delta's Livestock-free Zone) and cultivation in addition to harvesting a range of wildlife products. The lifting of a nation-wide hunting ban on elephants in 2019 may have impacts on the focus of community-based conservation efforts. During the five year ban, introduced in 2014, communities were provided with technical assistance in support of their Community-Based Natural Resource Management (CBNRM) programmes, and those that were previously benefiting from commercial hunting revenues were being encouraged to re-align their CBNRM activities towards non-consumptive (tourism) activities. Many of the beneficiaries of these programmes are members of the San/Basarwa communities, the original inhabitants of the area (some of whom were displaced when Moremi Game Reserve was created). However with the lifting of the ban, and subsequent auctions for the hunting licenses taking place in 2020 (TIME, 2020), regulated commercial hunting may be re-integrated into management regimes implemented in the site. The degree of community involvement in the newly tendered commercial hunting licenses is uncertain and so therefore are the subsequent benefits derived from it. The UN Special Rapporteur in the field of cultural rights (Shaheed, 2016) on her visit to Botswana, was pleased to receive the Botswana Government's assurances that there will be no fencing off of the area, nor eviction of local communities, nor disruption of their rights of access to natural resources. The Special Rapporteur noted that consultations with communities were on-going through, for example, a multi-stakeholders community consultative conference held in Maun in March 2015. It is noted that the outcomes of this participatory workshop held in Maun (Satao et al. 2015), included recommendations that the indigenous peoples should approach government to promote an Okavango Delta wide governance system for the Okavango site that would include all the different communities and traditional authorities, relevant government ministries, and the private sector. The Government of Botswana is currently implementing the Community Management of Protected Areas for Conservation (COMPACT) project in the panhandle area of the Okavango Delta with the aim strengthening community engagement in management and conservation of the site World Heritage sites by working to improve the livelihoods of local communities (deriving benefits) through community-based initiatives, and increase the effectiveness of the biodiversity conservation in doing so (IUCN Consultation, 2020).

► **Legal framework**

Some Concern

The legal framework for protection of the property is weaker than would normally be expected for a conservation area of such outstanding value. Less than 25% of the area is designated as Game Reserve, through which it is protected against all forms of consumptive use. This area (the Moremi Game Reserve, 4,610 km²) lies at the centre of the 'core area' and its status was deemed likely to be upgraded to National Park designation at the time of inscription (IUCN, 2013), however this has never occurred. The Game Reserve is surrounded by 18 Wildlife Management Areas (WMAs) and 1 Controlled Hunting Area, which make up three quarters of the world heritage property. WMAs are areas of tribal land held in trust for communities by a government agency, the Tswana Land Board (TLB). The TLB

leases the land to commercial tourism operators and/or community trusts, and supervises the activities of lease-holders. The legislation governing WMAs and CHAs allows settlement, cultivation, livestock (outside of the Okavango Delta's Livestock-free Zone) and other activities that would not normally be expected within a 'protected area', so it is up to the TLB to determine lease terms, including any restrictions that it might impose for the benefit of wildlife. In practice, the TLB exercises its powers in a manner that ensures that 'commercial' WMAs (12 of the 18 WMAs making up the core area of the WHS) are used exclusively for high-end tourism operations where no settlement, cultivation or livestock is permitted, while 'community' WMAs are less restrictive and commonly include areas for cultivation and livestock (most associated settlements have been excluded from the core zone and are located in the buffer zone, except as noted above).

Whilst positive changes have been made by the State Party to remove extractives licences from within the property and its buffer zone, the possible exploration for petroleum and metal immediately adjacent to the buffer zone has the potential to impact on the OUV. An extension the legal framework at the basin scale to ensure any extractives project beyond the buffer zone to ensure an assessment of impacts on the OUV would help strengthen the protection of the property.

► **Law enforcement**

Some Concern

In terms of the legal framework being effectively enforced it is noted that concern was raised in the IUCN Technical Evaluation Report (WHN 2014) regarding the anti-poaching activities and wildlife management that are carried out by a very limited number of patrol staff at Moremi Game Reserve and by a number of other government, community and private sector operations. This has been evidenced somewhat by reports of increasing poaching activity, with an almost sixfold increase in fresh elephant carcasses between 2014-2018 within the area of the site (Schlossberg et al., 2019). It was found that overall, on-the-ground management of wildlife appeared weak, lacking necessary resources, and being somewhat ad-hoc. There was found to be a general lack of capacity (material resources, vehicles, staff and funding) to fully implement the management plan. The State Party State of Conservation report (GoB 2015) again highlights the limited resources (financial and human resources) available for implementing conservation programmes, including enforcement, as outlined in the ODMP. However, the State Party has confirmed its commitment to providing resources for the protection and management of the Okavango Delta and has since April 2014, made purchases and rationalised staff so as to strengthen management and monitoring of the site. It is also noted that the cooperation between DWNP and the Botswana Defence Force in anti-poaching enforcement is considered by many of the Tour Operators in the region to be effective (IUCN Consultation, 2016). Additionally, whilst the legal basis for ensuring water quality within the site exists through the national wastewater pollution standards there is widespread non-compliance amongst wastewater-generating facilities in the site (State Party of Botswana, 2020).

► **Implementation of Committee decisions and recommendations**

Some Concern

The property was inscribed in 2014 and progress has been made on a number of issues addressed by the Committee (State Party of Botswana, 2020; UNESCO, 2018; World Heritage Committee, 2018) including:

- Developed protocols for wildlife monitoring in the Okavango Delta through the support of SAREP, including a web-based portal for analyzing the data.
- Relinquished all the prospecting licenses in the property and the cancellation of all petroleum and metals prospecting licenses in the buffer zone.
- - Continued and expanded implementation of livelihoods programmes in the Delta.
- Progress has been made in consulting the indigenous peoples on cultural heritage related issues.
- Addressing the governance, stakeholder and coordination issues for the effective management of the property.
- Continued with control and monitoring of invasive alien species within the property.
- Collaboration between the States Parties of Botswana, Angola and Namibia through the Permanent Okavango River Basin Water Commission (OKACOM) to ensure any proposed major development within the Okavango watershed is subject to an EIA and the development of a basin-wide Environmental

Monitoring Framework.

- Reviewing the feasibility of a transboundary extension of the property to include key areas of the Cubango-Okavango River Basin in cooperation with the other riparian states.
- Aerial wildlife surveys carried out in 2019 to update species inventories of large mammals and provide baseline ecological data for future monitoring efforts.

Some outstanding actions still remain however, such as: finalising the Management Plan for the property; undertaking an EIA for the veterinary cordon fences; revising the EIA for the Mohembo bridge; and submitting the aerial wildlife survey results.

► Sustainable use

Mostly Effective

The Delta has been inhabited for centuries by small numbers of indigenous people, living a hunter-gatherer existence with different groups adapting their cultural identity and lifestyle to the exploitation of particular resources (e.g. fishing or hunting). This form of low-level subsistence use has had no significant impact on the ecological integrity of the area, and today mixed settlements of indigenous peoples and later immigrants to the area are located around the fringes of the delta, mostly outside the boundaries of the property. Six of the 18 Wildlife Management Areas in the core area are under lease to community trusts where community members use the land for cultivation and livestock rearing, and harvesting of wild products such as fish, thatching grass, reeds, medicines and building poles. The community trusts benefit from a good system of community-based natural resource management (CBNRM) Technical Advisory Committees (TACs). At the time of inscription, local communities were directly managing and using natural resources through their Community Based Organizations (CBOs). Since 2014 local communities no longer sign these leases with the Tawana land Board. The Department of Lands now signs concessions directly with tour operators. A leading motivation behind the change was to provide equitable access to resources for communities through the Tourism Development Fund which supports a fairer distribution of wealth amongst a greater number of CBO's (GoB 2015). There has also been the recent commitment by the State party that there will be no fencing off of the area, nor eviction of local communities, nor disruption of their rights of access to natural resources (Shaheed 2016).

► Sustainable finance

Some Concern

The nomination dossier (GoB, 2012) notes that most funding comes from government and there is a shortage of resources for the management of the site, which has continued to be reported since (State Party of Botswana, 2016; 2018). The various government departments involved in the site receive the equivalent of approximately US\$1 million annually at district level (for all their district-wide activities, only a portion of which involves the Okavango Delta WHS). The DWNP submits all revenue from Moremi Game Reserve to the national treasury, so there is no direct revenue retention scheme for re-investment in the property (although a trial scheme is now underway in the nearby Chobe National Park). Land royalties have recently been increased to 6% of the gross revenues taken by all tourism operations in the delta, which must amount to a substantial sum (the nomination dossier records US\$ 750,000 of royalties at the old 3% rate). Revenue from land royalties is also submitted to the national treasury and will go into a new National Environment Fund (it was previously administered by District Authorities). With such a substantial 'high-end' tourism industry operating in the delta it seems very feasible, particularly under the proposed review of the management plan, to design and implement a suitable mechanism to re-invest a portion of revenues in the management and conservation of the property, but this is not yet in place. And there remains an administrative issue as the area of the World Heritage site is not a recognised management unit under a recognised authority that could manage its own budget and resources.

The private concessions in some of the Wildlife Management Areas are economically driven entities which seem to be very successful (IUCN, 2013). The income is partly used to maintain and develop the concession sites according to the approved management plans, while land royalties are paid to government, thereby supporting (indirectly) government's capacity to regulate and manage the property. The site continues to benefit from the GEF, whose Small Grants Programme has administered around \$5 million since 1992 in Botswana, of which a significant portion has been invested in projects in the site given that the Delta is perhaps the nations hub for conservation and natural resource

management CBO and NGOs (IUCN Consultation, 2020).

► **Staff capacity, training, and development**

Some Concern

The Okavango Research Institute plays a significant role in training for monitoring and ecological management. Training has also been carried out for tour guides at various concessions for the implementation of a wildlife monitoring protocol.

► **Education and interpretation programs**

Some Concern

There are various government departments and non-governmental organizations implementing programmes for local communities such as the Community Based Natural Resources Programme (CBNRM), Poverty Eradication Programme, Youth Empowerment Schemes and Youth Development Fund, Funding programmes such as Citizen Entrepreneurship Development Agency (CEDA), Technical Capacity Building programmes for small enterprises through Local Enterprise Authority (LEA) and the revision of the Tourism Policy of 1992 to provide opportunities for citizens to participate in the tourism sector (GoB 2015). It is also noted that although the State Party is committed to continuing to empower different stakeholders in the conservation of the site, for example through the ongoing COMPACT project which will conclude in 2021 (IUCN Consultation, 2020).

► **Tourism and visitation management**

Highly Effective

Tourism is a substantial industry in the Okavango Delta, generating significant revenue and employment. At the time of inscription, there were 100 camps and lodges within the property, 33 establishments in nearby towns and villages, as well as 86 registered mobile camping safari operators (GoB, 2012). In general tourism operations are high-end, low-volume activities with small tented camp facilities located in exclusive concession areas reached by private charter aircraft. Management of concessions and the tendering and award of leases is carried out by the Department of Tourism (soon becoming a self-financing parastatal, the Botswana Tourism Organisation) and the Tawana Land Board.

► **Monitoring**

Some Concern

Monitoring of some parameters related to the ecological function and management of the delta is carried out by various government agencies and parastatal organizations. The Department of Water Affairs has maintained an extensive network of hydrological stations throughout the delta since the late 1960s, providing invaluable long-term information on the flooding cycle and changes in water quality. The University of Botswana's Okavango Research Institute (ORI) has been monitoring various environmental parameters, on a rather ad hoc basis, for the past 16 years and has recently established a monitoring section. The State Party, through the Department of Wildlife and National Parks (DWNP) continues to work with researchers from the Okavango Research Institute (ORI), independent researchers and University of Botswana to conduct research on wildlife in the Okavango Delta. In March 2015, DWNP in partnership with ORI, held a symposium on Wetlands and Wildlife in Botswana which was attended by researchers, scientists, independent research organizations, NGOs, Community Based Organizations and government departments to share their research findings. The research results will contribute to the effective protection and management of the property. Aerial censuses of large mammal populations have been carried out sporadically by the Department of Wildlife and National Parks and non-governmental conservation organizations, while Birdlife Botswana monitors populations of globally threatened bird species. In general, far greater effort is required towards the development of a comprehensive, systematic monitoring programme that provides the data required to inform adaptive management of the delta (GoB, 2012). Despite maintaining these partnerships, the State Party has not yet managed to establish the population baselines for key species and tracking long term trends. Current monitoring is therefore informed by the population census conducted in 2012. The State Party has however signed a Memorandum of Understanding with Okavango Research Institute to ensure collaboration in research in the Okavango Delta. Also, and in partnership with the Southern African Regional Environmental Programme (SAREP), DWNP has managed to establish a wildlife monitoring programme. The monitoring programme is aimed at collecting data to address the issue of the decline of wildlife populations in Northern Botswana as shown by the population census conducted in 2011 and 2012 by DWNP and Dr Mike Chase respectively. The programme has established Standardized

Monitoring Protocols for the basic monitoring of flora and fauna within the Ngamiland concessions. As part of this monitoring tool, SAREP has also designed an Interactive Web-based Database and Basic Analyzing tool for Concessions (Bourquin and Brooks 2014). Hydrological monitoring data is also collected, presently there are twenty four sampling sites in the Okavango Delta of which nine are in the Core Zone (State Party of Botswana, 2020). Aerial wildlife surveys have been carried out in 2019, the results of which will be reported to UNESCO and the advisory body. These surveys represent positive steps forward and will be important for evaluating whether wildlife populations have been maintained since the previous 2012 survey, and should serve as a baseline for establishing a regular monitoring programme of wildlife populations (IUCN Consultation, 2020).

► **Research**

Mostly Effective

The Okavango Research Institute carries out a range of research activities some of which have a direct bearing on management. Research tends to be project-related and determined by the availability of funding. A research strategy has been developed as part of the Okavango Delta Management Plan (DEA, 2008). A targeted research programme that feeds into an implemented adaptive management system of the site, needs to be developed. Meanwhile there are numerous private and Non-Profit research projects currently underway in the Okavango WHS.

Overall assessment of protection and management

Some Concern

The large size, inaccessibility and low human population densities in surrounding areas of the site make the protection and management sufficient to have maintained the overall ecological integrity of the site in good condition to date, however some concerns remain. The legal basis for protection is adequate for Moremi Game Reserve (4,610 km² or 23% of the core area) but relatively weak elsewhere, with much of the area (15,625 km²) designated as 'Wildlife Management' and 'Controlled Hunting' Areas. This renders institutional arrangements between management regimes within the site complex and variable according to the designation of particular 'blocks'. The current Okavango Delta Management Plan, which serves as the primary management system for the site is implemented according to the much larger Okavango Delta Ramsar site and, having been drafted in 2008, pre-dates the World Heritage inscription of the site. Therefore the management activities devote relatively little attention to the values of the site relating specifically to the Outstanding Universal Values under which the site is inscribed on the World Heritage List. The proposed review of the management plan should address these specifically, alongside other issues which are currently poorly managed including the effectiveness of the various institutional arrangements operating within the site, accommodating traditional resource use for livelihoods, user access rights, cultural rights and access to opportunities to participate in the tourism sector, in keeping with the property's OUV, and a range of other protection and management issues including governance, stakeholder empowerment, management planning, management capacity, and control of invasive alien species (UNESCO, 2018; World Heritage Committee, 2018). Concerns also remain regarding the financial and human resources available to implement the management plan (State Party of Botswana, 2020), which should be taken into consideration within the review of the management plan to ensure that any new plan is able to achieve its goals under current and projected capacity of the management authority.

► **Assessment of the effectiveness of protection and management in addressing threats outside the site**

Some Concern

The main threats arising outside the site are related to (1) upstream water use and (2) poaching of migratory wildlife when animals move out of the area. The Permanent Okavango River Basin Water Commission (OKACOM) provides a regional forum for negotiation over use of the delta's waters throughout its catchment, and should help minimise the impact of any future upstream developments on the flooding and functioning of the delta, particularly in light of the low rainfall in the 2018/19 season. Encouraging developments to sustainably manage the shared resource of the Cubango-Okavango River Basin between Angola, Namibia and Botswana include the initiation of the process for a Strategic Environmental Assessment (SEA) of the Cubango-Okavango River Basin (CORB), developing a basin-wide Environmental Monitoring Framework, and undertaking hydro-

meteorological, water quality, environmental and biodiversity monitoring surveys (State Party of Botswana, 2020). Recent declines in the populations of some key large mammal species suggest that wildlife protection measures are not fully effective and poaching may be taking place under the guise of organized commercial hunting, with recent reports suggesting significant increases in poaching in the region (Schlossberg et al., 2019). To address this problem a nationwide ban on hunting was introduced in 2014, however this has since been lifted (TIME, 2020) with the subsequent impacts on megafauna populations dynamics hitherto unknown due to the relatively little time that has elapsed since the lifting of the ban and a number of other confounding factors such as the recent unexplained mortality event being suffered by elephants in the region. The issue of veterinary cordon fences on wider animal migratory movements outside the site is another issue of concern, however steps to address this issue, such the reconvening of the Botswana Cordon Fences Committee is encouraging, since some fences as the Botswana/Namibia Caprivi border fence continue to be a problem and disrupt elephant movements outside of the Okavango area.

State and trend of values

Assessing the current state and trend of values

World Heritage values

- ▶ **Africa's most extensive inland delta without an outlet to the sea, lying within a desert environment**

Good
Trend:Stable

The delta's physical characteristics are determined by the underlying geology and landforms, being the product of a process of faulting which has blocked the flow of the Okavango River and forced it to spread out over the desert sands of the Kalahari Basin (Mendelsohn, et al, 2010). Whilst any increase in evaporative losses of water in the delta due to increases in regional temperature associated with climate change would alter the hydrological system to a certain extent, the degree of certainty is low (). There are also potential threats relating to the management of water in the greater Cubango-Okavango catchment. However, currently the flow of the river continues and the delta remains in good and stable condition.

- ▶ **Annual cycle of flooding**

Good
Trend:Stable

The annual cycle of flooding is determined by seasonal rainfall patterns in the Angolan highland catchment areas as well as the physical geography of the Kalahari Basin which slows the flow of water to such an extent that flooding occurs during the dry season. This would be affected by any upstream water abstraction, or the construction of dams in the catchment areas, but there is no immediate prospect of any such development (IUCN, 2013) and encouraging progress has been made to integrate management of the upstream resources through the structures of OKACOM (OKACOM, 2020, State Party of Botswana, 2020). The annual cycle of flooding in the delta remains in good condition and is likely to remain so for the foreseeable future under current scenarios.

- ▶ **An outstanding example of the complexity, inter-dependence and interplay of climatic, geo-morphological, hydrological, and biological processes**

Low Concern
Trend:Deteriorating

The ongoing ecological processes of this pristine wetland system are likely to be sustained as long as there are no significant alterations in the annual flood cycle (IUCN, 2013). Indeed, the property continues to exemplify a number of ecological processes related to flood inundation, channelization, nutrient cycling. The associated biological processes also remain in good condition, however with some concerns relating to the invasive species, particularly *Salvinia molesta* (State Party of Botswana, 2020), and the veterinary cordon fences which require rationalisation and corresponding management action given their potential limiting effect on migratory processes (UNESCO, 2018, World Heritage Committee,

2018, AHEAD 2019).

► **Rich diversity of species across many taxa, with significant populations of African mega-fauna**

Low Concern
Trend:Deteriorating

Species inventories for most taxa are likely to be far from complete, but the pristine nature of the habitats represented at the property suggests that its biodiversity is likely to be mostly intact. Populations of large animals in the Okavango Delta have fluctuated over the years. Census data provided for 2012 and other data reinforces the reported variability in population trends. Recent concern surrounding elephant populations has been noted in relation to a number of emerging threats, including the lifting of the 2014 hunting ban (TIME, 2020), the mass mortality event due to currently unknown causes (Mongabay, 2020), increased poaching (Schlossberg et al., 2019) and the effects of veterinary cordon fences in altering migration patterns (UNESCO, 2018; AHEAD 2019). Species data is variable, subject to different survey techniques and surveys are somewhat uncoordinated as they are undertaken by different institutions. This all contributes to an unclear picture of the Okavango Delta's wildlife (WHN 2014). The implementation of standard protocols for wildlife monitoring in the Okavango Delta data will assist in more accurately determining species population trends.

► **Habitat for important populations of rare and endangered species**

Data Deficient
Trend:Data Deficient

Habitat diversity and condition across the property is good, but there is little information on particular species and few data to indicate population trends for any of the area's rare and endangered plants and animals (GoB, 2012). Although the State party has developed protocols for wildlife monitoring in the Okavango Delta through the support of SAREP, which includes a web-based portal for analyzing the data, there is still insufficient data to determine trends in species populations. Therefore, the 2019 aerial wildlife survey results will be important for evaluating whether wildlife populations have been maintained since the previous 2012 survey, and should serve as a baseline for establishing a regular monitoring programme of wildlife populations in the future.

► **Landscape of exceptional and rare beauty**

Good
Trend:Stable

Whilst these are necessarily subjective assessments, the natural beauty and wilderness values of the delta are widely recognized through popular literature and film (for example, Ross, 2003; Lanting, 1994), and evident from the large numbers of visitors willing to pay for high-end tourist facilities. These values are being maintained through appropriate development of low-volume tourism that has minimal impact. The construction of the bridge at Mohembo, without a sufficient EIA, has the potential to impact this value negatively.

Summary of the Values

► **Assessment of the current state and trend of World Heritage values**

Good
Trend: Stable

The Outstanding Universal Value of the Okavango Delta is the result of complex geological, biophysical and ecological interactions. The annual cycle of flooding, which maintains the wetland habitats and sustains the delta's biodiversity happens at such a scale as to be largely unaffected by present levels of human activity. The extraordinary natural beauty of the place, with its ever-changing mosaic of open water, islands, channels and swamps is well conserved and in a stable condition. There remains however the on-going risks associated with insufficient accurate data pertaining to large mammal population trends, alien invasive water flora and any future water containment of extraction in the upstream catchment areas of Angola or Namibia.

Additional information

Benefits

Understanding Benefits

► **Legal subsistence hunting of wild game,
Collection of wild plants and mushrooms,
Fishing areas and conservation of fish stocks,
Traditional agriculture**

Communities benefit greatly from the Delta, with parts of the property under direct management of community trusts. They have access to livelihood materials such as fish, and plants for food but hunting is limited. The State Party remains committed to improving livelihoods of local communities in the Delta and ensuring that they have access to the use of their natural resources (GoB 2015). A number of programmes continue to be implemented by different stakeholders to ensure that local communities benefit from the Okavango delta. These include the Community Based Natural Resources Programme (CBNRM), Poverty Eradication Programme, Youth Empowerment Schemes & Youth Development Fund, Funding programmes such as Citizen Entrepreneurship Development Agency (CEDA) and the Technical Capacity Building programmes for small enterprises through Local Enterprise Authority (LEA).

Factors negatively affecting provision of this benefit :

- Climate change : Impact level - Low, Trend - Continuing
- Pollution : Impact level - Low, Trend - Continuing
- Overexploitation : Impact level - Low, Trend - Continuing
- Invasive species : Impact level - Moderate, Trend - Continuing
- Habitat change : Impact level - Low, Trend - Continuing

Factors negatively affecting these benefits are low but need to be managed sustainably.

► **Access to drinking water**

The Okavango Delta system provides vital ecosystem services, and is an important source of fresh water in an otherwise arid region (WHN 2014).

Factors negatively affecting provision of this benefit :

- Climate change : Impact level - Low, Trend - Continuing
- Pollution : Impact level - Low, Trend - Continuing
- Overexploitation : Impact level - Low, Trend - Continuing
- Invasive species : Impact level - Moderate, Trend - Continuing
- Habitat change : Impact level - Low, Trend - Continuing

At the moment factors negatively affecting water are low, but the biggest threat to the overall integrity of the delta is disruption of the natural flow of water from the catchment areas.

► **History and tradition,
Wilderness and iconic features,
Sacred natural sites or landscapes,
Sacred or symbolic plants or animals,
Cultural identity and sense of belonging**

The Okavango Delta hold a number of important historic, cultural and spiritual sites. In order to recognize these sites, the San/Basarwa communities (the original inhabitants of the area) have been requested to document names and positions of all sites of cultural value so that these can be included the action plan for the World Heritage Site. The Special Rapporteur (Shaheed 2016) received the Botswana Government's assurances that there will be no fencing off of the area, no eviction of local communities and no disruption of their rights of access to natural resources. Consultations with communities are on-going through, for example, a multi-stakeholders community consultative

conference held in Maun in March 2015 (Satau et.al. 2015).

Factors negatively affecting provision of this benefit :

- Climate change : Impact level - Low, Trend - Continuing
- Pollution : Impact level - Low, Trend - Continuing
- Overexploitation : Impact level - Low, Trend - Continuing
- Invasive species : Impact level - Moderate, Trend - Continuing
- Habitat change : Impact level - Low, Trend - Continuing

Low negative affects on cultural and spiritual values.

► **Collection of medicinal resources for local use,
Outdoor recreation and tourism,
Natural beauty and scenery**

A significant proportion of the local community derives employment through a thriving eco-tourism industry and its associated services. This is based on the natural beauty and scenery of the Okavango Delta. Medicinal plants are collected by the local inhabitants.

Factors negatively affecting provision of this benefit :

- Climate change : Impact level - Low, Trend - Continuing
- Pollution : Impact level - Low, Trend - Continuing
- Overexploitation : Impact level - Low, Trend - Continuing
- Invasive species : Impact level - Moderate, Trend - Continuing
- Habitat change : Impact level - Low, Trend - Continuing

Low negative impacts on health and recreation.

► **Importance for research,
Contribution to education,
Collection of genetic material**

There are a number of research projects carried out in the Delta every year. The Okavango Research Institute contributes to scientific knowledge of the area and plays a coordination role. The State Party continues to engage indigenous peoples and local communities, their traditional leaders and other stakeholders such as the University of Botswana (ORI), government departments, and non-governmental organizations to implement a holistic research programme.

Factors negatively affecting provision of this benefit :

- Climate change : Impact level - Low
- Pollution : Impact level - Low, Trend - Continuing
- Overexploitation : Impact level - Low, Trend - Continuing
- Invasive species : Impact level - Moderate, Trend - Continuing
- Habitat change : Impact level - Low, Trend - Continuing

The factors negatively affecting knowledge at the site are low.

► **Carbon sequestration,
Soil stabilisation,
Flood prevention,
Water provision (importance for water quantity and
quality),
Pollination**

Rural community livelihoods are largely dependent on the ecosystems services provided by the river's system (Chevallier and Bybee 2014) and the Okavango Delta system provides a number of these, including; Provision of water for livestock or domestic use; production of wild foods and medicines; production of grazing for livestock; production of fuel, craftwork materials, construction materials; medicine, products for materials science, genes for resistance to plant pathogens and crop pests; climate regulation; carbon sinks; flood attenuation through the reduction of the amplitude and velocity of flood waters by wetlands, reducing downstream damage; groundwater recharge; retention of soil and fertility within an ecosystem; waste treatment through breaking down of waste, detoxifying pollution,

dilution and transport of pollutants and the regulation of pests and pathogens (Turpie et.al. 2010).

Factors negatively affecting provision of this benefit :

- Climate change : Trend - Continuing
- Pollution : Impact level - Low, Trend - Continuing
- Overexploitation : Impact level - Low
- Invasive species : Impact level - Moderate, Trend - Continuing
- Habitat change : Impact level - Low, Trend - Continuing

factors negatively affecting environmental services are low.

► **Collection of timber, e.g. fuelwood,
Sustainable extraction of materials (e.g. coral, shells,
resin, rubber, grass, rattan, etc)**

The Delta supports the livelihoods of approximately 130,000 local people, most of who depend on its resources for building materials, food and medicines (WHN 2014).

Factors negatively affecting provision of this benefit :

- Climate change : Impact level - Low, Trend - Continuing
- Pollution : Impact level - Low, Trend - Continuing
- Overexploitation : Impact level - Low, Trend - Continuing
- Invasive species : Impact level - Low, Trend - Continuing
- Habitat change : Impact level - Low, Trend - Continuing

The level of impact of the factors negatively affecting materials is low.

► **Tourism-related income,
Provision of jobs**

Communities benefit greatly from the Delta at present, with parts of the property under direct management of community trusts, and other areas providing tourism-related direct employment. A significant proportion of the local community derives employment through a thriving eco-tourism industry and its associated services (WHN 2014). The revision of the Tourism Policy of 1992 provides opportunities for citizens to participate in the tourism sector. The Poverty Eradication Programme supports small enterprises in different sectors such as agriculture, tourism and catering (GoB 2015).

Factors negatively affecting provision of this benefit :

- Climate change : Impact level - Low, Trend - Continuing
- Pollution : Impact level - Low, Trend - Continuing
- Overexploitation : Impact level - Low, Trend - Continuing
- Invasive species : Impact level - Moderate, Trend - Continuing
- Habitat change : Impact level - Low, Trend - Continuing

The level of impact of factors negatively affecting the contribution to local economy is low.

Summary of benefits

The key benefits generated by the Okavango Delta World Heritage site depend entirely on the maintained health of a complex ecological system that underpins the ecosystem services it provides. These include food and water, building materials, medicines and health and recreation. The site also provides a very important source of cultural and spiritual value for local communities and visitors. Because of the natural beauty and diversity of the area, the site is a major contributor to local economic development. The site also affords an opportunity to develop knowledge through research and education which allows for the on-going adaptive management of the site and the education of future generations.

Projects

Compilation of active conservation projects

No	Organization	Brief description of Active Projects	Website
----	--------------	--------------------------------------	---------

1	TOCaDI (Trust for Okavango Cultural and Development Initiatives)	Support for community development
2	SAREP (Southern Africa Regional Programme for the Environment)	Management and strategic planning support
3	Okavango Research Institute	Research and Monitoring
4	Birdlife Botswana	Monitoring bird life
5	Kalahari Conservation Society	No data

REFERENCES

- | No | References |
|----|---|
| 1 | AHEAD (2019) Animal & Human Health for the Environment And Development : Newsletter Update- July/Aug/Sept 2019. "Botswana reestablishes official Fences Committee after 20+ year gap." Cornell University pub. |
| 2 | BirdLife International (2017) Important Bird Areas factsheet: Okavango Delta. Downloaded from http://www.birdlife.org . |
| 3 | Botswana (2012) Okavango Delta World Heritage Nomination Dossier. . |
| 4 | Botswana (2014) World Heritage Nomination Dossier, supplementary information provided to IUCN. |
| 5 | Bourquin S. and Brooks C. (2014). Protocol for the Okavango Wildlife Monitoring System. Botswana Department of Wildlife and National Parks. Chemonics International. |
| 6 | Chase M.J., Schlossberg S, Griffin C.R., Bouché P. J.C., Djene S.W., Elkan P. W., Ferreira S., Grossman F., Mtarima Kohi E., Landen K., Omondi P., Peltier A., Selier J. and Sutcliffe R. (2016). Continent-wide survey reveals massive decline in African savannah elephants. PeerJ 4:e2354. DOI 10.7717/peerj.2354. |
| 7 | Chevallier R. and Bybee M. (2014). Maintaining the ecological integrity of Botswana’s Okavango Delta, South African Institute of International Affairs. |
| 8 | DEA (Department of Environmental Affairs) 2008. Okavango Delta Management Plan. |
| 9 | Enviro Dynamics (2014). Environmental Management Plan for the exploration of base metals on exclusive prospecting licenses 5606, 4934, 5712 & 5713), Kavango East Region, Namibia. Rio Tinto Mining and Exploration (Pty) Ltd & Rundu Exploration (Pty) Ltd. |
| 10 | Gifford, J. (2013). Botswana’s wildlife crisis. Pp 30-36 In Geographical magazine (Royal Geographical Society, London), September issue |
| 11 | Government of Botswana (GoB). (2015). State of Conservation Report, Okavango Delta Natural World Heritage Site, Botswana (N1432). The Government of the Republic Of Botswana Department Of National Museum and Monuments Ministry Of Environment, Wildlife & Tourism. |
| 12 | IUCN (2013) World Heritage Nomination - IUCN Technical Evaluation, Okavango Delta (Botswana). Gland, Switzerland: IUCN. , |
| 13 | IUCN Consultation. (2020). IUCN Confidential Consultation- Okavango Delta, Botswana. |
| 14 | Konecky, B. L., Noone, D., Mosimanyana, E., & Gondwe, M. (2016). Impacts of climate change on rainfall, seasonal flooding, and evapotranspiration in the Okavango Delta, Botswana. AGUFM, 2016, GC41B-1091. |
| 15 | Kurugundla C. N.(2015) Okavango Delta World Heritage Conservation Report. Botswana Department of Water Affairs. |
| 16 | Lanting, F. (1994). Okavango: Arica’s Last Eden. London: Robert Hale |
| 17 | Mendelsohn, J.M. et al (2010). Okavango Delta: Floods of Life. Windhoek: Raison |
| 18 | Mongabay. (2020). Calls for swift action as hundreds of elephants die in Botswana’s Okavango Delta. Ed Holt, 2 July. [online] Available at: https://news.mongabay.com/2020/07/calls-for-swift-action-as... (Accessed 6 July 2020). |
| 19 | Moses, O., & Hambira, W. L. (2018). Effects of climate change on evapotranspiration over the Okavango Delta water resources. Physics and Chemistry of the Earth, Parts A/B/C, 105, 98-103. |

No **References**

-
- 20 Musora, O., & Mbaiwa, J. (2018). Employees' Perceptions of Environmental Impacts of Tourism Activities in the Okavango Delta, Botswana. *International Journal of Hospitality & Tourism Management*, 2(1), 13.
-
- 21 OKACOM. (2020). The Permanent Okavango River Basin Water Commission. [online] Available at: <https://www.okacom.org/> (Accessed 6 July 2020).
-
- 22 Ross, K. (2003). *Okavango: Jewel of the Kalahari*. Cape Town: Struik
-
- 23 Satau B., Beri D., Useb J. and Crawhall N. (2015). Report on the Conservation, Development and Human Rights Workshop, Maun Botswana. Secretariat of the Indigenous Peoples of Africa Coordinating Committee (IPACC).
-
- 24 Schlossberg, S., Chase, M. J., & Sutcliffe, R. (2019). Evidence of a growing elephant poaching problem in Botswana. *Current Biology*, 29(13), pp. 2222-2228. [online] Available at: [https://www.cell.com/current-biology/fulltext/S0960-9822\(19...](https://www.cell.com/current-biology/fulltext/S0960-9822(19...) (Accessed 06 July 2019).
-
- 25 Shaheed, F. (2016). Report of the Special Rapporteur in the field of cultural rights on her visit to Botswana; 2016. Human Rights Council Thirty-first session United Nations General Assembly A/HRC/31/59/Add.1.
-
- 26 State Party of Botswana. (2018). Report of the State Party to the World Heritage Committee on the state of conservation of the Okavango Delta (Botswana). [online] Ministry of Environment, Natural Resources Conservation & Tourism. Available at: <https://whc.unesco.org/en/list/1432/documents/> (Accessed 07 July 2020).
-
- 27 State Party of Botswana. (2020). Report of the State Party to the World Heritage Committee on the state of conservation of the Okavango Delta (Botswana). [online] Ministry of Environment, Natural Resources Conservation & Tourism. Available at: <https://whc.unesco.org/en/list/1432/documents/> (Accessed 07 July 2020).
-
- 28 TIME. (2020). Botswana Set to Auction First Elephant Hunting Licenses After Lifting Ban. [online] California: TIME Available at: <https://time.com/5777977/botswana-elephant-hunting/> (Accessed 07 July 2020).
-
- 29 Turpie J., Lannas K., Scovronick N. and Louw A. (2010). Wetland ecosystem services and their valuation: a review of current understanding and practice. Report to the South African Water Research Commission.
-
- 30 UNESCO. (2018). Report on the State of Conservation of Okavango Delta, Botswana. State of Conservation Information System of the World Heritage Centre. [online] Paris, France: UNESCO World Heritage Centre. Available at: <https://whc.unesco.org/en/soc/3675> (Accessed 18 September 2019).
-
- 31 Wolski, P., Stone, D., Tadross, M., Wehner, M., & Hewitson, B. (2014). Attribution of floods in the Okavango basin, Southern Africa. *Journal of Hydrology*, 511, 350-358.
-
- 32 World Heritage Committee. (2018). Decision: 42 COM 7B.89- Okavango Delta (Botswana). In: Report of decisions of the 42nd session of the World Heritage Committee (Manama, Bahrain, 2018). [online] Paris, France: UNESCO World Heritage Centre. Available at: <https://whc.unesco.org/en/decisions/7318> (Accessed 06 July 2020).
-
- 33 World Heritage Nomination (WHN). (2014). IUCN Technical Evaluation Okavango Delta (Botswana) - Id No. 1432.